RECOIL PAD FITTING GUIDE

1. Find your make and model on the following pages of the Recoil Pad Fitting Guide to find the corresponding LimbSaver[®] Recoil Pad product number.

2. IMPORTANT: Due to manufacturers' stock deviations, LimbSaver® Precision-Fit Recoil Pads are not a guaranteed fit. **Please also use our templates to ensure proper fit.**

- 3. Note: All Precision-Fit and Grind-to-Fit[®] pads are designed for flat butt stocks (unless specified)
- 3. Note: All pads, unless specified, are approximately 1" in thickness.
- 4. Note: Precision-Fit pads are not intended to be ground.

5. The Precision-Fit Recoil Pad Fitting Guide is not an exhaustive list. If you do not find a match, please continue on to use our templates.

COLOR KEY

 Synthetic Stocks
Wood / Laminate Stocks (Flat Stocks)

PRECISION-FIT RECOIL PAD FITTING GUIDE



MAKE	MODEL	STOCK	AIRTECH'	CLASSIC
Benelli Benelli Benelli-Tactical Benelli-Tactical Benelli-Tactical <mark>Benelli</mark>	Sport 1, Sport II, Nova, SBE I, SBE II, Super Sport, MII, Cordoba 12/20ga W/ Comfort-Tech Stock: M2 21VR, Super Vinci Pistol Grip Stock Nova Pistol Grip Stock w/ Pop-in Pad: SBE MII (12ga), Super Sport, Super Sport, MII 12ga Pistol Grip Stock Bolt-on Pad: Super Sport Bolt-On, M1, SBE Black Eagle 12ga , 20ga Ultralight Satin Walnut with WeatherCoat™	Synthetic Synthetic Synthetic Synthetic Synthetic Wood	10810 10810 10810	10401 10401 10404 10404 10403 10401
Beretta Beretta Beretta Beretta	A300 Outlander, A400 Extreme, Extrema2 with Kick Off stock-12ga, TX4 Storm Sporting/Competition e.g. DT11-692 A300 Outlander, A400 Excel, 690 Sporting W/ Kick Off, 692 Sporting W/ Kick Off Sporting/Competition e.g. DT11-692	Synthetic Synthetic Wood Wood	10817 10811 10817 10811	10702 10701 10702 10701
Blackhawk	SpecOps Gen II, Axiom Ultra Light, Axiom Thumb Hole	Synthetic	10811	10701
Blaser Blaser	R8 (5/8" thick pad) R93 Professional Camo/Dark Green/Black Bolt on only (5/8" thick pad)	Synthetic Synthetic		10818 10012
Browning Browning Browning Browning Browning Browning Browning	Gold 12 * 20ga only, Silver Hunter 12ga, Silver 12/20 GA A-Bolt Stainless Stalker BPS 10ga. X-Bolt Rifles, AB3 (A-Bolt 3) Rifles BPS Upland 20ga BPS Upland 12ga X-Bolt Rifles, AB3 (A-Bolt 3) Rifles	Synthetic Synthetic Synthetic Synthetic Wood Wood Wood	10801 10814 10815 10801 10814	10008 10002 10301 10030 10002
Choate	ALL stocks that use the mark5 Spacer System	Synthetic	10812	
Christensen Arms	Carbon Summit Rifle, Carbon Classic Rifle	Synthetic	10805	10101
Colt	LE6920 Series, LE6920 Law Enforcement 30+1 223REM/5.56NATO , LE6940 Series (5/8"-thick Snap-On pad)	Synthetic		10019
DPMS	GII AP4 (5/8"-thick Snap-On pad)	Synthetic		10019
Franchi Franchi	Verimax 912 12ga Alcoine 12 ga	Synthetic Wood	10810 10800	10401 10001
Harrington/Richards Harrington/Richards Harrington/Richards	Handi-Rifle, Adult synthetic - Straight/ Monte Carlo SB2-988 Slug Hunter Ultra Slug Hunter (pad screw hole modification)	Synthetic Wood/Lam Wood	10802 10816	10018 10003 10601
Knight	50cal. Disc Inline ML	Synthetic	10801	10002
Magpul Magpul Magpul Magpul	MOE-SL Carbine (5/8"-thick pad) ACS Mag 370/371, CTR Mag 310/311, ACS-L Mag 378/379 (5/8"-thick pad) MOE Mag 400/401, STR Mag 470/471, UBR Collapsible Stock Mag 330- Mil-Spec (5/8"-thick pad) SGA Stocks with the SGA with Adapter	Synthetic Synthetic Synthetic Synthetic	10805	10829 10025 10025 10101

PRECISION-FIT RECOIL PAD FITTING GUIDE



MAKE	MODEL	STOCK	AIRTECH'	CLASSIC
Marlin	Model XS7	Synthetic	10805	10101
Mossberg Mossberg Mossberg Mossberg Mossberg Mossberg	500A, 535, 695, 835, 590 A1, 590SP 12ga, 930 (NON SPX), 935 NON-Pistol Grip, 88 12ga Maverick 88 20ga ATI pistol grip non-tactical MOE 590A1 with SGA Adapter International™ 715T™, 500 - ATI Tactical (5/8"-thick Snap-On pad) All 4 7/8" buttstocks	Synthetic Synthetic Synthetic Synthetic Synthetic Synthetic	10809 10807 10802 10805	10201 10111 10003 10101 10019 10121
Remington Remington Remington Remington Remington Remington	700 SPS, 700 ADL, 700 BDL, 700 ML, 710, 770, 870, 870 Express, 870 Express Tactical 1100 Competition, 1100 Tactical 12/22 OD-Green, 11-87, 7600, SP-10, VTR Centerfire 870 Magnum Special Purpose 700 LVSF, Titanium 750, 870 Wing Master (non-Express), 870 Police-12/18/20 ga, 1100 G3 Model 1187 SP 1992 yr - 35 Whelen 1187 4/7, 1100 2/5, 7 CDL, 673 guide gun, 700 DM	Synthetic Synthetic Synthetic Synthetic Wood Wood Wood	10805 10805 10806 10816 10806 10806 10808	10101 10101 10102 10601 10102 10102 10112
Ruger Ruger Ruger Ruger Ruger	American, American Magnum, American Predator, American LH American All Weather, American Crossfire, American Ranch American Compact, American All Weather Compact M77, Hawkeye 77, Mark II, Factory Skeleton Stock-(Request Adapter from us)	Synthetic Synthetic Synthetic Synthetic Synthetic	10825 10825 10824 10800 10803	10001 10011
Sako Sako	75, Finnlight 75	Synthetic Wood	10803 10803	10011 10011
Savage Savage	93 R-AC-TR A17	Synthetic Synthetic	10808	10301 10112
Smith & Wesson Smith & Wesson	M&P®15T Tactical with M-LOK®, M&P®15 1 in 7" Twist (5/8"-thick Snap-On pad) M&P® 15 Sport II 5.56 NATO 16" 30+1 (5/8"-thick Snap-On pad)	Synthetic Synthetic		10019 10019
Stag Arms	AR-15 Models 1, 1L, 2, 2L, 2T, 2TL, 3	Synthetic		10019
Stoeger Stoeger	M3000, 3500 M2000 (No Pistol Grip), P-350 Pump	Synthetic Synthetic	10823	10008
Тарсо Тарсо	AK T6™ Stock, Mil-Spec Profile AR T6™ (5/8"-thick Snap-On pad) INTRAFUSE T6 AK-47 Collapsible Stock for Stamped Receiver (5/8"-thick Snap-On pad)	Synthetic Synthetic		10019 10019
Thomp Ctr Arms Thomp Ctr Arms Thomp Ctr Arms Thomp Ctr Arms Thomp Ctr Arms	Triumph, Triumph Bone Collector, Pro Hunter, Pro Hunter Predator, Pro Hunter FX Pro Hunter Turkey, Pro Hunter Shotgun Slug, Venture, Encore Pro Hunter Omega ML, Black Diamond Encore Pro Hunter, Omega ML, Black Diamond Thunderhawk 50cal	Synthetic Synthetic Synthetic Wood Wood	10804 10804 10804 10815 10806	10031 10031 10031 10030 10102

PRECISION-FIT RECOIL PAD FITTING GUIDE

LIMBSAVER[®] PRODUCTS THAT WORK

MAKE	MODEL	STOCK	AIRTECH'	CLASSIC
Tikka Tikka Tikka Tikka	T3X T3 Lite Adjustable, T3 Battue Lite Rifle 30.06, 9.3x62 T3X T3 Lite - all models except T3 Sporter	Synthetic Synthetic Wood Wood	10826 10803 10826 10803	10011 10011
Weatherby	PA-08 12ga	Synthetic	10807	10111
Winchester Winchester <mark>Winchester</mark>	Model 1300 Model 70 Super Shadow – 4 ¾" Model 12 Heavy Duck 12ga.	Synthetic Synthetic Wood	10816 10808	10301 10601 10112


GRIND-TO-FIT RECOIL PAD FITTING GUIDE

SIZE	MEAS	UR	EMENTS					CLASSIC	PROFILE	NITRO	TRAP	SPEED
Small Medium	4 ¹³ / ₁₆ " 5 ³ / ₃₂ "	X	1 ²⁷ / ₃₂ " 1 ¹³ / ₁₆ "	Grindable To: Grindable To:			1 ¹ / ₃₂ " 1 ⁵ / ₁₆ "	10541 10542		10537 10538	10534 10535	
Medium Plus (Med +)	5 ⁷ / ₂ "	x	1 ³¹ / ₃₂ "	Grindable To:				10542	10544	10358	10555	10540
Large	5 %16"	Х	2 1/16"	Grindable To:	4 1/16"	Х	1 19/32"	10543	00000	10539	10536	


SLIP-ON RECOIL PAD FITTING GUIDE


SIZE	MEASUREMENTS	AIRTECH' CLASSIC	
Small	4 1/2" X 1 1/2" Up to 4 13/16" X 1 5/8"	10550 10546	
Small/Medium	4 5/8" X 1 9/16" Up to 5 1/8" X 1 3/4" (1/2" thick)	10549	
Medium	4 ¹³ / ₁₆ " X 1 ⁵ / ₈ " Up to 5 ¹ / ₈ " X 1 ³ / ₄ "	10551 10547	
Large	5 1/8" X 1 3/4" Up to 5 3/8" X 1 7/6"	10552 10548	














Magpul MOE SL stocks

LIMBSAVER® PRODUCTS THAT WORK











LIMBSAVER® PRODUCTS THAT WORK













The following two templates on this page were designed to fit a specific make of synthetic stock. To accomplish as accurate a fit as possible, many of the synthetic recoil pad plates have profiles that snap inside the cavities of the stock. While most plates can be modified to fit a wood stock by grinding off any protruding plastic on the plate, the following two plates CANNOT be altered.



☆ STOCK SIDE ☆

Browning Gold 12/20; Stoeger M2000 (non-pistol grip & P-350 pump (syn.), Silver 12 GA. (Syn.)






The following Grind-to-Fit Recoil Pads are shown with two profile lines. The outer line is the actual size of the pad. The inner line is the "Max" Grind line. In order for our technology to function properly, the interior air chamber must remain intact with enough wall thickness to contain the pressure during the firing of the weapon. By not grinding past this line, you ensure your pad will be in perfect working order. To determine which Grind-to-Fit Recoil Pad is right for you, remove your existing pad, and place your flat stock on the templates. Choose the pad that shows the full outer line of the template, and none of the interior line. For further instructions, see inside of our packaging, or go to www.LimbSaver.com.

SMALL GRIND-TO-FIT PART #: 10541(Classic 1" thick L.O.P.), 10534(Trap 1" thick L.O.P.), 10537 (Nitro 1-1/2" thick L.O.P.) Template Dimensions: 4 13/16" X 1 27/32" Grindable to: 3 7/8" X 1 11/32" 10541 is a Classic LimbSaver pad with 1" LOP 10534 is a Trap LimbSaver pad with 1" LOP 10537 is a Nitro LimbSaver pad with 1-1/2" LOP **MEDIUM GRIND-TO-FIT** PART #: 10542 (Classic 1" thick L.O.P.). 10535(Trap 1" thick L.O.P.), 10538(Nitro 1-1/2" thick L.O.P.) Template Dimensions: 5 3/32" X 1 13/16" Grindable to: 4 1/4" X 1 5/16" 10542 is a Classic LimbSaver pad with 1" LOP

> 10535 is a Trap LimbSaver pad with 1" LOP 10538 is a Nitro LimbSaver pad with 1-1/2" LOP



MEDIUM PLUS - GRIND-TO-FIT



10543 is a Classic LimbSaver pad with 1" LOP 10536 is a Trap LimbSaver pad with 1" LOP 10539 is a Nitro LimbSaver pad with 1-1/2" LOP



PRECISION - FIT

